6

Search and Location Techniques

Objectives

Upon completing this lesson, you will be able to:

- 1. Define search and location and describe its importance in the success of a CSSR operation.
- 2. Describe the composition of a search team and the basic equipment used.
- 3. List and describe the steps for searching and locating.
- 4. Define void space and identify probable locations in the four basic collapse patterns.
- 5. Describe the modes, types and patterns of conducting a search.
- 6. Demonstrate in two practical exercises the steps for a physical search and location, using two different patterns.

Approximate Duration:

Lecture: 3 hoursPractical exercise: 2 hours






1. Searching and Locating

A set of techniques and procedures whose purpose is to obtain a response or indication of the presence of _____ in a void space within the collapsed structure.

2. Composition of a Search Squad



Basic Equipment Required for Physical Searches

- Complete set of personal protective equipment and emergency medical kit.
- Minimum personal supplies required to function unassisted for at least 12 hours:

• Radio equipment to communicate with team members and Command Post



| • | Building and work site marking supplies ——————————————————————————————————— |
|----|--|
| • | Warning and alert devices |
| • | Reconnaissance and vision |
| • | Search diagrams, pencils, colour pens, clipboards Technical search equipment, specialised or improvised |
| • | Additional materials — North American Hazardous Materials Response Guide — Hazardous Gas Detector |
| | Steps for Search and Location Compile and analyse available information. |
| 2. | Secure the scene. |
| 3. | Inspect and evaluate the structure. |
| | |




| 4. | 4. Rescue victims with access on or if this has not already been done. | near the, |
|-----|---|---------------------------------|
| | | |
| 5. | 5. Make INSARAG markings on the structure as need | led, if not already done. |
| 6. | 6. Create a of the structure. | |
| 7. | 7. Select the area to be searched. | |
| 8. | 8. Select a search method. | |
| 9. | 9. Conduct an appropriate search pattern and pl potential victims are detected, both on the structure | |
| 10. | 10. Continually analyse the results and re-evaluate adjustments). | the search plan (make necessary |
| 11. | 11. Initiate pre-hospital treatment of the victim. | |
| 12. | 12. Confirm the and with the resources | of and equipment available. |




4. Void Spaces

A physical space in a collapsed structure where a person trapped within could remain alive for a short period.

Possible location of void spaces in typical collapse patterns




V-shape collapse




Pancake Collapse






Cantilever collapse



Lean-to Collapse



Search Area/Site Sketch





5. Search Modalities

condition of the structure changes.

| 5.1 Hasty Search (Primar | y) |
|--|--|
| | detect the presence of or easily accessible void spaces. Hasty |
| • Rapid detection of victims | |
| • Scene assessment (information g problem) | gathered as a result aids in size-up of the rescue |
| • Sets priorities | |
| | |
| | |
| 5.2 Extensive (Grid) Sear This type of search is conducted in a | manner to pinpoint |
| | esigned to cover the entire assigned search area An extensive or grid |
| search accomplishes the following: | |
| A thorough, systematic searchRedundant checks | |
| • Allows for use of alternate search | h resources |
| | |
| | |
| This process may need to be repeated | ed as new information is received and/or as the |



6. Search Methods

6.1 Physical Search



| Physical | search | opera | tions | do | not | req | uire |
|-----------|--------|-------|-------|-------|-------|------|------|
| | | or | unio | que, | exp | ens | sive |
| | | . The | y o | nly 1 | requi | re | the |
| | | aı | nd s | ome | esta | blis | hed |
| procedure | es. | | | | | | |
| | | ••••• | | | | | |
| | | | | | | | |

This search tactic is the first, and sometimes the only, search method used by local emergency service agencies that do not possess technical or canine search resources.

Local first responders must rely on fundamental search techniques. A readily accessible and willing group of volunteers can be quickly trained and supervised to safely conduct physical search operations after a disaster. Basic physical search is usually performed immediately after an incident, and may be done by locals.

Physical search includes the three basic tactics:

- Physical/void search
- Hailing
- Basic search patterns

Reminder: these are general tactics. A search team may need to modify and adapt them and the search mode to fit their specific needs.

6.2 Canine Search



| Uses t | he acute sen | se of | | of |
|--------|--------------|---------|----|--------|
| dogs | specially | trained | to | detect |
| | | _ | | · · |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Certified canine teams with highly specialized dogs provide the best way to locate trapped victims in a large area in the shortest amount of time. They are able to access areas too small or too unstable for humans to enter. Canines can be used for hasty and extensive operations.



A thorough site search with two well-qualified search dogs has a high probability of conclusive results. The disaster trained search canine is trained to detect those victims that are still alive. Unless trained to do so, rescuers should not attempt to handle the dogs, but coordinate the activities of those who are trained as handlers.

6.3 Technical Search

| Requires trained personnel |
|--|
| and for sound and temperature detection, video, vibration, etc. Can be carried out using specially manufactured or |
| equipment. |
| |
| |
| |

The latest state-of-the-art electronic search equipment has added a new dimension to the search function by extending its range. Whenever possible, dogs and electronic devices should be utilised together. Technical search equipment can be classified into two groups:

- Visual search instruments
- Electronic listening devices

Visual Search Instruments

These instruments can view the exact location and condition of victims buried beneath several feet of debris. The most useful devices are of small diameter, have articulating probes, and incorporate a light source. A large area can quickly be covered with these tools and they are excellent for void searches. Visual search instruments are divided into two main types:

- Video devices that transmit images to a monitor
- **Optical instruments** that project the viewed image through fibre-optic bundles or mirrors to a monocular eyepiece

During a hasty search, an operator can quickly assess a site by using by using existing cracks and openings to search for victims. During extensive/grid search operations success has been shown with rescue personnel drilling a series of holes and an operator following along with visual search equipment to assess the newly accessible void spaces.




Electronic Listening Devices

These devices can detect both acoustic sound (such as voice) and inaudible seismic sound (vibrations) produced by survivors deep within a collapsed structure. Although these instruments are capable of filtering a wide range of sound frequencies, they are best used in a noise-free environment. These devices can be used for both hast search and extensive/grid modalities.

7. Hailing Method Procedure


- 1. The search team leader signals for silence and all work to stop around the area. Four members of the CSSR team take positions in a ______ pattern, positioned at intervals of approximately 8-16 metres in safe locations as close as possible around the search area.
- Going 'around the clock,' each searcher calls out loudly or with a megaphone, "If you can hear me call out for help or knock five times on something." Instead of hailing, searchers may also knock something solid (usually metallic) that is a contiguous part of the site debris in order to elicit a response.



3. All searchers then listen and point in the direction of any potential response to the instructions. If more than one searcher hears the sound, the direction in which they point will triangulate on the source of the sound of the victim. This must be noted on the site sketch or on personal notes, where each rescuer makes a rough sketch of the area and the direction of the source of sound. Use a coordinate grid system and/or the clock system (using North as 12 o'clock).

The collapse pattern, building materials and a multitude of other variables can cause voices to be heard clearer than knocking, and other times vice versa. Use both methods for greater efficiency.





A variation of the hailing system is to set up several searchers in a straight line across the site, or in grid patterns, as when performing the physical/void search. In this scenario, rescuers are also aligned next to, but off, the rubble pile to detect sound the others on the pile may not hear. The rescuers will hail in the order given, listen and then advance as safety permits. This ensures the entire structure is covered in an extensive grid-pattern search.



8. Physical Search Patterns

Occasionally you will encounter structures that have not totally collapsed and contain large, open areas or a building with many intact rooms, in which live victims, unable to remove themselves or communicate, will be found. An organized approach will yield the best opportunity to locate a victim, and to declare the area searched.

8.1 Multiple Rooms

The basic instruction for searching multiple rooms is "go right, stay right."

| 1. | After entering the structure, turn to the right, stay in contact with the right wall, either visually or physically, until the entire accessible area has been searched and the team returns to the starting point. | |
|----|---|--|
| 2. | If the search team needs to exit and cannot remember the direction they entered, simply turn around and stay in contact with the same wall, either physically or visually, keeping it on your left. | |

8.2 Large Open Areas (Line Search)

Use the line search method in auditoriums, cafeterias, and offices with multiple partitions.

| 1. | Spread search team members in a straight line across the open area, metres | A A A |
|----|--|----------------------------|
| | apart. | |
| 2. | Slowly walk through the entire open area to the other side. | |
| | | 1 1 1 1 1 1 1 1 1 1 |



| 3. | Team members on the ends of the line search perimeter rooms using the go right-stay right method. |
|-----|---|
| 4. | The procedure may be repeated in the opposite direction. |
| 8.3 | Perimeter Search |
| | search pattern can be used when it is not possible or unsafe to search a rubble from |
| 1. | Four search team members take positions equally spaced around the search area. |
| 2. | After using an appropriate search method, all searchers rotate 90 degrees clockwise. This process can be repeated until all searches complete four rotations (returning to their original positions). |
| | |



9. Victim Management

The following concepts and procedures should be applied the moment the search is initiated until the last victim is found.



9.1 Precautions during a search

| • | Never make inappropriate comments the victim should not hear. Keep your comments on a positive note. Always assume someone is to you. |
|---|--|
| • | The victim is in the worst possible position and fighting to stay alive, and you can enhance theirby being positive about the possibility of finding and extricating them. |
| • | You may be the first person the victim is able to communicate with; therefore it |

9.2 Steps for initial contact with a located victim

is important to project a sense of confidence and hope.

- 1. Identify and overcome language barriers.
- 2. Identify yourself as a rescuer, projecting confidence and calm in your voice and choice of words.

| 3. | Oł | otain the following | ng inforn | nation: | |
|----|----|---------------------|-----------|---------|-------------------|
| | _ | | | | |
| | _ | (| or | | (approximate age) |
| | _ | Type of | | _ and | |
| | _ | | sta | tus | |
| | _ | | | | |
| | _ | Degree of | | | |



| 4. | Provide emergency medical treatment as quickly as possible. |
|---------|---|
| 5. | Ask about other potential and their condition. |
| 6. | Inform the victim of rescue operations. |
| 7. | Inform the victim if you have to leave for short periods. |
| 8. | Provide protection from the environment as much as possible. |
| 9. — | Consider direct or indirect intervention of a or, etc. |
| | provised Search Equipment Acoustic detection (use to amplify sound through a |
| C | erack or opening in a building) |
| | corder with microphone mounted on a pole |
| | * |
| | |
| 10.2 | Visual detection |
| • Te | lescopic mirror with illumination |
| | ommon video camera |
| | |
| | |
| 10.3 | Sound transmission |
| | |
| | udspeaker mounted on an extension, with microphone |
| • Po | rtable radios |
| | |
| | |
| | Other |
| 10.4 | Other |
| 10.4 | Other |

| Collapsed Structure Search Data Form | | | | | | |
|---|--|---------------------|--|--|--|--|
| Date: | CSSR Team Identification: | | | | | |
| Time: | Name or description of structure: | | | | | |
| Date of collapse: | Approximate occupancy at time of collapse: | | | | | |
| Time of collapse: | Location of structure: | | | | | |
| Occupancy type at time of coll | lapse | | | | | |
| ☐ Residential ☐ Other / describe: | □ Commercial □ Indus | trial | | | | |
| Structural Type: | | | | | | |
| ☐ Light Frame ☐ Pre- | Fab/Tilt-Up Concrete | | | | | |
| ☐ Heavy Wall ☐ Heavy Floor | | | | | | |
| # Floors # Col available? | lumns Blueprint | or photo | | | | |
| Structural Engineer Assessme | ent | | | | | |
| Name: | | | | | | |
| Identification: | | | | | | |
| Condition of Structure: | | | | | | |
| | | | | | | |
| Cut off servic | es: □ Water □ Electric | ity □ Gas | | | | |
| Rescue Information (see rescu | e victim identification form) | | | | | |
| # Rescued | # Bodies recovered | | | | | |
| PREVIOUS RESCUE TEAM EFFORTS | | | | | | |
| Team Name / Id | Leader's Name | Contact Information | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Relatives, Neighbours, Witnesses, Residents or Building Personnel with Possible Information on Trapped Victims

| Full Name | Association to Structure | Location | Information |
|-----------|-----------------------------|----------|-------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Victim Identification Form Rescued Victims FULL NAME OF VICTIM OR RESCUER'S OTHER IDENTIFYING DATE TIME **PLACE IDENTITY INFORMATION Recovered Bodies FULL NAME OF VICTIM OR RESCUER'S** OTHER IDENTIFYING DATE **PLACE** TIME IDENTITY **INFORMATION**

Structure Information Form

(ATTACH THIS FORM TO THE SITE SKETCH FORM.)

| DOTENTIAL DANGEDO DDEGENT | |
|--|-------|
| POTENTIAL DANGERS PRESENT | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | ••••• |
| | |
| CONFIRMED DANGERS | |
| OOM INMED PANOENG | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| PERSONNEL AVAILABLE FOR SEARCHING | |
| | |
| PERSONNEL AVAILABLE FOR SEARCHING EQUIPMENT AVAILABLE | |
| | |
| | |
| | |
| | |
| EQUIPMENT AVAILABLE | |

Collapsed Structure Search and Rescue Course

Lesson Evaluation for Participants

Do not write your name on this form. Please complete a copy of this form at the end of every lesson.

6

7

Your evaluations are very valuable toward improving the course. For ratings, please use a scale system from 1 to 7, as follows:

3

| Very poor | Poor | Below Average | Average | Good | Very Good | Excellent | |
|---|-------------------|--|-----------------------|--------------|-------------|-----------|--|
| urse Locatior | n: | | | Date: | | | |
| Please fill in the required information. | | Lesson Number | Lesson Name | | | | |
| | | Instructor's Name | - | | | | |
| Use a scale from described above t | to rate | Lesson Rating (ra | ate 1 to 7) | | | | |
| the various lesson components. | | Content | | | | | |
| | | Method | Workbook ₋ | | Interaction | | |
| Mark your selection with an "X" | Instruction Level | (mark with an "X | (") | | | | |
| | Appropriate | Too basic _ | | Too advanced | | | |
| | | Duration (mark with an "X") | | | | | |
| | | Appropriate | Too short _ | | Too long | | |
| | | Usefulness | | | | | |
| | | Was this lesson usef | ful to you? Ye | es | No | | |
| Rate from 1 to 7 | | Overall Lesson R | ating | | | | |
| | | Taking all the above into consideration, I rate this lesson: | | | | | |
| If you need addition space, please use back of the sheet. | e the | Comments and O | bservations | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Thank you for your help. Your input is valuable. Please turn in this completed form to the instructor.